

Master index of volumes 151–160

Achuthan, N.R., see N. Achuthan	151	(1996)	3– 13
Achuthan, N., N.R. Achuthan and L. Caccetta, On mixed Ramsey numbers	151	(1996)	3– 13
Adin, R.M., A new cubical h -vector	157	(1996)	3– 14
Ageev, A.A., A triangle-free circle graph with chromatic number 5 (<i>Communication</i>)	152	(1996)	295–298
Aharoni, R. and U. Keich, A generalization of the Ahlswede–Daykin inequality	152	(1996)	1– 12
Akiyama, J., Y. Ishigami, M. Urabe and J. Urrutia, On circles containing the maximum number of points	151	(1996)	15– 18
Alekseyevskaya, T.V., Combinatorial bases in systems of simplices and chambers	157	(1996)	15– 37
Alon, N. and E. Fischer, 2-factors in dense graphs	152	(1996)	13– 23
Alspach, B., C.C. Chen and K. McAvaney, On a class of Hamiltonian laceable 3-regular graphs	151	(1996)	19– 38
Andersen, L.D. and P.D. Vestergaard, Graphs with all spanning trees nonisomorphic	155	(1996)	3– 12
Anderson, M.R., see R.B. Hughes	158	(1996)	99–150
Ando, K. and A. Kaneko, A remark on the connectivity of the complement of a 3-connected graph	151	(1996)	39– 47
Anstee, R.P. and J.R. Griggs, An application of matching theory of edge-colourings (<i>Note</i>)	156	(1996)	253–256
Arugay, E.B. and S.V. Gervacio, On path-chromatically unique graphs	151	(1996)	49– 53
Balakrishnan, R. and R. Sampathkumar, Decompositions of regular graphs into $K_n^c \vee 2K_2$	156	(1996)	19– 28
Balmaceda, J.M.P., A note on multiplicity-free permutation characters	151	(1996)	55– 58
Bandelt, H.-J. and V. Chepoi, A Helly theorem in weakly modular space	160	(1996)	25– 39
Bange, D.W., A.E. Barkauskas, L.H. Host and P.J. Slater, Generalized domination and efficient domination in graphs	159	(1996)	1– 11
Banković, D., Formulas of general solutions of Boolean equations	152	(1996)	25– 32

Baranga, A., \mathbf{Z} -continuous posets	152	(1996)	33– 45
Barcia, P., see J.O. Cerdeira	154	(1996)	255–261
Barkauskas, A.E., see D.W. Bange	159	(1996)	1– 11
Bauer, M. and C. Itzykson, Triangulations	156	(1996)	29– 81
Bauer, D., E. Schmeichel and H.J. Veldman, A note on dominating cycles in 2-connected graphs	155	(1996)	13– 18
Baumann, U., Automorphism groups of graphs with 1-factorizations	158	(1996)	1– 10
Bétrema, J. and A. Zvonkin, Plane trees and Shabat polynomials	153	(1996)	47– 58
Beck, D.A., J.B. Remmel and T. Whitehead, The combinatorics of transition matrices between the bases of the symmetric functions and the B_n analogues	153	(1996)	3– 27
Beineke, L.W., P. Hamburger and W.D. Weakley, Random packing by ρ -connected ρ -regular graphs	160	(1996)	41– 47
Bennett, F.E. and L. Zhu, The spectrum of HSOLSSOM(h^n) where h is even	158	(1996)	11– 25
Bennett, F.E., C.J. Colbourn and L. Zhu, Existence of three HMOLS of types h^n and $2^n 3^1$	160	(1996)	49– 65
Benoumhani, M., On Whitney numbers of Dowling lattices	159	(1996)	13– 33
Berge, C., Combinatorial games on a graph	151	(1996)	59– 65
Bernaldez, J.M., On k -complementing permutations of cyclically k -complementary graphs	151	(1996)	67– 70
Berstel, J. and M. Pocchiola, Random generation of finite Sturmian words	153	(1996)	29– 39
Bessis, L., Harvey–Wimanhypermaps	157	(1996)	39– 52
Bessis, L., Fixed points of induced automorphisms of hypermaps	153	(1996)	41– 46
Bo, C. and B. Liu, Some inequalities about connected domination number (<i>Note</i>)	159	(1996)	241–245
Bollobás, B., Turán–Ramsey problems (<i>Note</i>)	156	(1996)	257–261
Bollobás, B., Degree multiplicities and independent sets K_4 -free graphs	158	(1996)	27– 35
Borodin, O.V., Irreducible graphs in the Grünbaum–Havel 3-colour problem (<i>Note</i>)	159	(1996)	247–249
Boros, E. and V. Gurvich, Perfect graphs are kernel solvable	159	(1996)	35– 55
Bousquet-Mélou, M., A method for the enumeration of various classes of column-convex polygons	154	(1996)	1– 25
Brandstädt, A., V.D. Chepoi and F.F. Dragan, Perfect elimination orderings of chordal powers of graphs (<i>Note</i>)	158	(1996)	273–278
Brandstädt, A., Partitions of graphs into one or two independent sets and cliques	152	(1996)	47– 54

Brown, J.I. and S. Watson, The number of complements of a topology on n points is at least 2^n (except for some special cases)	154	(1996)	27– 39
Brunton, B.E., B.J. Wilson and T.S. Griggs, Graphs which have $n/2$ -minimal line-distinguishing colourings	155	(1996)	19– 26
Bryant, D.E., A special class of nested Steiner triple systems (<i>Note</i>)	152	(1996)	315–320
Bryant, V., A characterisation of some 2-connected graphs and a comment on an algorithmic proof of Brooks' theorem (<i>Note</i>)	158	(1996)	279–281
Bugata, P., M. Hornák and A. Nagy, On $(1, 2)$ -realizable graphs	158	(1996)	37– 47
Burosch, G. and P.V. Ceccherini, A characterization of cube-hypergraphs	152	(1996)	55– 68
Burosch, G., H.-D.O.F. Gronau, J.-M. Laborde and I. Warnke, On posets of m -ary words	152	(1996)	69– 91
Burzio, M. and J. Pelant, On complete strongly connected digraphs with the least number of 3-cycles	155	(1996)	27– 30
Caccetta, L., see N. Achuthan	151	(1996)	3– 13
Caro, Y., On the generalized Erdős–Szekeres Conjecture — a new upper bound (<i>Note</i>)	160	(1996)	229–233
Caro, Y., Zero-sum problems — A survey	152	(1996)	93–113
Catlin, P.A., Z.-Y. Han and H.-J. Lai, Graphs without spanning closed trails	160	(1996)	81– 91
Catlin, P.A., The reduction of graph families closed under contraction	160	(1996)	67– 80
Caulfield, M.J., Full and quarter plane complete infinite latin squares (<i>Note</i>)	159	(1996)	251–253
Ceccherini, P.V., see G. Burosch	152	(1996)	55– 68
Cerdeira, J.O. and P. Barcia, Ordered matroids and regular independence systems (<i>Note</i>)	154	(1996)	255–261
Chari, M.K., Reversible shellings and an inequality for h -vectors (<i>Note</i>)	159	(1996)	255–259
Chastand, M. and N. Polat, Invariant Hamming graphs in infinite quasi-median graphs	160	(1996)	93–104
Chen, C.C., see B. Alspach	151	(1996)	19– 38
Chen, Z., Harary's conjectures on integral sum graphs (<i>Note</i>)	160	(1996)	241–244
Chen, J., S.P. Kanchi and J.L. Gross, A tight lower bound on the maximum genus of a simplicial graph	156	(1996)	83–102
Chen, W.Y.C., The skew, relative, and classical derangements (<i>Note</i>)	160	(1996)	235–239

Chepoi, V., see H.-J. Bandelt	160	(1996)	25– 39
Chepoi, V.D., see A. Brandstädt	158	(1996)	273–278
Cherowitzo, W., Hyperovals in Desarguesian planes: An update	155	(1996)	31– 38
Chew, K.H., Total chromatic number of regular graphs of odd order and high degree	154	(1996)	41– 51
Chouinard, II, L.G., Bounding graphical t -wise balanced designs (<i>Note</i>)	159	(1996)	261–263
Cieslik, D. and J. Linhart, Steiner minimal trees in L_p^2	155	(1996)	39– 48
Claasen, H.L., see R.W. Goldbach	159	(1996)	111–118
Cockayne, E.J., O. Favaron and C.M. Mynhardt, Universal maximal packing functions of graphs	159	(1996)	57– 68
Cohn, J.H.E., Complex D-optimal designs	156	(1996)	237–241
Colbourn, C.J., see F.E. Bennett	160	(1996)	49– 65
Constantineau, I. and G. Labelle, Une généralisation automorphe des nombres de Stirling	157	(1996)	53– 64
Cordovil, R., A.G. de Oliveira and M.L. Vergnas, A generalized Desargues configuration and the pure braid group	160	(1996)	105–113
Culik II, K., An aperiodic set of 13 Wang tiles (<i>Note</i>)	160	(1996)	245–251
Curran, S.J. and J.A. Gallian, Hamiltonian cycles and paths in Cayley graphs and digraphs — A survey (<i>Perspectives</i>)	156	(1996)	1– 18
de Oliveira, A.G., see R. Cordovil	160	(1996)	105–113
Décoste, H. and G. Labelle, Le q -dénombrement générique d'une espèce: Existence et méthode de calcul	153	(1996)	59– 67
Del Lungo, A., M. Nivat and R. Pinzani, The number of convex polyominoes reconstructible from their orthogonal projections	157	(1996)	65– 78
Deng, C.-L. and C.-K. Lim, A Characterization of graphs G with $G \cong K^2(G)$	151	(1996)	71– 79
Denise, A., Génération aléatoire et uniforme de mots	153	(1996)	69– 84
Dikranjan, D. and A. Policriti, Complementation in the lattice of equivalence relations	159	(1996)	83– 94
Domocoş, V., Minimal coverings of uniform hypergraphs and P-recursiveness (<i>Note</i>)	159	(1996)	265–271
Domocoş, V., A combinatorial method for the enumeration of column-convex polyominoes	152	(1996)	115–123
Dragan, F.F., see A. Brandstädt	158	(1996)	273–278
Du, D.Z., D.F. Hsu and Y.D. Lyuu, On the diameter vulnerability of Kautz digraphs	151	(1996)	81– 85
Dubernard, J.P. and I. Dutour, Enumération de polyominoes convexes dirigés	157	(1996)	79– 90

Duffus, D. and N. Sauer, Lattices arising in categorial investigations of Hedetniemi's conjecture	152	(1996)	125–139
Dulucq, S. and O. Guibert, Stack words, standard tableaux and Baxter permutations	157	(1996)	91–106
Dulucq, S., S. Gire and J. West, Permutations with forbidden subsequences and nonseparable planar maps	153	(1996)	85–103
Dutour, I., see J.P. Dubernard	157	(1996)	79– 90
Edwards, K., On a problem concerning piles of counters (<i>Note</i>)	156	(1996)	263–264
Egawa, Y. and M. Kano, Sufficient conditions for graphs to have (g, f) -factors	151	(1996)	87– 90
Ehrenborg, R. and M. Readdy, Juggling and applications to q -analogues	157	(1996)	107–125
Erdős, P. and P. Fishburn, Maximum planar sets that determine k distances	160	(1996)	115–125
Erdős, P., T.J. Reid, R. Schelp and W. Staton, Sizes of graphs with induced subgraphs of large maximum degree (<i>Note</i>)	158	(1996)	283–286
Erdős, P., A. Gyárfás and T. Łuczak, Graphs in which each C_4 spans K_4 (<i>Note</i>)	154	(1996)	263–268
Eriksson, K., Reduced words in affine Coxeter groups	157	(1996)	127–146
Eriksson, K., Strong convergence and the polygon property of 1-player games	153	(1996)	105–122
Fàbrega, J. and M.A. Fiol, On the extraconnectivity of graphs	155	(1996)	49– 57
Fan, H., see B. Xu	152	(1996)	325–328
Fan, S., On End-regular graphs	159	(1996)	95–102
Fan, C., D.R. Lick and J. Liu, Pseudo-cartesian product and hamiltonian decompositions of Cayley graphs on abelian groups	158	(1996)	49– 62
Favaron, O., see E.J. Cockayne	159	(1996)	57– 68
Favaron, O., H. Li and R.H. Schelp, Strong edge colorings of graphs	159	(1996)	103–109
Favaron, O., Signed domination in regular graphs (<i>Note</i>)	158	(1996)	287–293
Feretić, S. and D. Svrtan, Combinatorics of diagonally convex directed polyominoes	157	(1996)	147–168
Fiol, M.A., see J. Fàbrega	155	(1996)	49– 57
Fischer, E., see N. Alon	152	(1996)	13– 23
Fishburn, P., see P. Erdős	160	(1996)	115–125
Fishburn, P.C. and P.L. Hammer, Bipartite dimensions and bipartite degrees of graphs	160	(1996)	127–148

Flores, C. and O. Ordaz, On the Erdős–Ginzburg–Ziv theorem (<i>Note</i>)	152	(1996)	321–324
Fomin, S. and A.N. Kirillov, The Yang-Baxter equation, symmetric functions, and Schubert polynomials	153	(1996)	123–143
Galeana-Sánchez, H. and H.A. Rincón-Mejía, Independent sets which meet all longest paths	152	(1996)	141–145
Galeana-Sánchez, H., On monochromatic paths and monochromatic cycles in edge coloured tournaments	156	(1996)	103–112
Gallian, J.A., see S.J. Curran	156	(1996)	1– 18
Galovich, J. and D. White, Recursive statistics on words	157	(1996)	169–191
Gao, G. and X. Zhu, Star-extremal graphs and the lexicographic product	152	(1996)	147–156
Gasharov, V., Incomparability graphs of $(3 + 1)$ -free posets are s -positive	157	(1996)	193–197
Gerth III, F., Some probabilities for eigenvalues of matrices with entries in finite fields (<i>Note</i>)	154	(1996)	269–275
Gervacio, S.V., see E.B. Arugay	151	(1996)	49– 53
Gervacio, S.V., Trees with diameter less than 5 and non-singular complement	151	(1996)	91– 97
Gessel, I.M., Counting acyclic digraphs by sources and sinks (<i>Note</i>)	160	(1996)	253–258
Gibbons, P.B. and E. Mendelsohn, The construction of antipodal triple systems by simulated annealing	155	(1996)	59– 76
Gionfriddo, M. and S. Milici, A result concerning two conjectures of Berge and Chvátal	155	(1996)	77– 79
Gire, S., see S. Dulucq	153	(1996)	85–103
Glover, H.H. and T.Y. Yang, A Hamilton cycle in the Cayley graph of the $\langle 2, p, 3 \rangle$ presentation of $\text{PSL}_2(p)$	160	(1996)	149–163
Goldbach, R.W. and H.L. Claasen, Feasibility conditions for non-symmetric 3-class association schemes	159	(1996)	111–118
Gordon, G., Series-parallel posets and the Tutte polynomial	158	(1996)	63– 75
Goulden, I.P., D.M. Jackson and C.M. Springer, An umbral relation between pattern and commutation in strings	158	(1996)	77– 85
Gourdon, X. and B. Salvy, Effective asymptotics of linear recurrences with rational coefficients	153	(1996)	145–163
Grabner, P.J., R.F. Tichy and U.T. Zimmermann, Inequalities for the gamma function with applications to permanents	154	(1996)	53– 62
Gravier, S., see H.A. Haddadene	159	(1996)	237–240
Gravier, S., A Hajós-like theorem for list coloring (<i>Communication</i>)	152	(1996)	299–302

Griggs, T.S., see B.E. Brunton	155	(1996)	19– 26
Griggs, J.R., see R.P. Anstee	156	(1996)	253–256
Griggs, J. and O. Murphy, Edge density and independence ratio in triangle-free graphs with maximum degree three	152	(1996)	157–170
Gronau, H.-D.O.F., see G. Burosch	152	(1996)	69– 91
Gropp, H., On tactical configurations, regular bipartite graphs, and (v, k, even) -designs	155	(1996)	81– 98
Gross, J.L., see J. Chen	156	(1996)	83–102
Guelzow, A.J., Representation of finite nilpotent squags	154	(1996)	63– 76
Guibert, O., see S. Dulucq	157	(1996)	91–106
Guido, C., A larger class of reconstructible tournaments	152	(1996)	171–184
Gurvich, V., see E. Boros	159	(1996)	35– 55
Gutner, S., The complexity of planar graph choosability	159	(1996)	119–130
Gvozďjak, P. and J. Nešetřil, High girth and extendability	154	(1996)	77– 84
Gyárfás, A., see P. Erdős	154	(1996)	263–268
Haddadene, H.A. and S. Gravier, On weakly diamond-free Berge graphs (<i>Communication</i>)	159	(1996)	237–240
Häggkvist, R. and J.C.M. Janssen, All-even latin squares	157	(1996)	199–206
Hamburger, P., see L.W. Beineke	160	(1996)	41– 47
Hamidoune, Y.O., A.S. Lladó and O. Serra, Small cutsets in quasiminimal Cayley graphs	159	(1996)	131–142
Hammer, P.L., see P.C. Fishburn	160	(1996)	127–148
Han, Z.-Y., see P.A. Catlin	160	(1996)	81– 91
Harary, F., and T.W. Haynes, Nordhaus–Gaddum inequalities for domination in graphs	155	(1996)	99–105
Hauge, E.R. and T. Hellesteth, De Bruijn sequences, irreducible codes and cyclotomy	159	(1996)	143–154
Haynes, T.W., see F. Harary	155	(1996)	99–105
Heath, J. and A.J.W. Hilton, At most k -to-1 mappings between graphs, II	154	(1996)	85–102
Hellesteth, T., see E.R. Hauge	159	(1996)	143–154
Hellesteth, T. and P. V. Kumar, On the weight hierarchy of the semiprimitive codes	152	(1996)	185–190
Henning, M.A. and P.J. Slater, Inequalities relating domination parameters in cubic graphs	158	(1996)	87– 98
Hibi, T., see N. Terai	157	(1996)	311–320
Hilton, A.J.W., see J. Heath	154	(1996)	85–102
Hirschfeld, J.W.P. and G. Kiss, Tangent sets in finite spaces	155	(1996)	107–119
Hirschhorn, M., Calkin’s binomial identity (<i>Note</i>)	159	(1996)	273–278
Ho, Y.-S., see S.-C. Shee	151	(1996)	221–229
Hoàng, C.T., Some properties of minimal imperfect graphs	160	(1996)	165–175

Hochstättler, W., M. Loeb and C. Moll, Generating convex polyominoes at random	153	(1996)	165–176
Hoffman, D.G. and C.A. Rodger, On the number of edge-disjoint one factors and the existence of k -factors in complete multipartite graphs	160	(1996)	177–187
Hornák, M., see P. Bugata	158	(1996)	37– 47
Hosono, K., M. Urabe and M. Watanabe, Topics on line segments and polygons	151	(1996)	99–104
Host, L.H., see D.W. Bange	159	(1996)	1– 11
Hotje, H., Kinematic mappings of plane affinities	155	(1996)	121–125
Hougardy, S., Even pairs and the strong perfect graph conjecture (<i>Note</i>)	154	(1996)	277–278
Hsu, D.F., see D.Z. Du	151	(1996)	81– 85
Huffman, W.C., The equivalence of two cyclic objects on pq elements	154	(1996)	103–127
Hughes, R.B. and M.R. Anderson, Simplexity of the cube	158	(1996)	99–150
Hwang, F.K., U.G. Rothblum and Y.-C. Yao, Localizing combinatorial properties of partitions (<i>Perspectives</i>)	160	(1996)	1– 23
Ishigami, Y., see J. Akiyama	151	(1996)	15– 18
Ishigami, Y., An extremal problem of d permutations containing every permutation of every t elements (<i>Note</i>)	159	(1996)	279–283
Ito, N., Even tournaments and Hadamard tournaments	151	(1996)	105–111
Itzykson, C., see M. Bauer	156	(1996)	29– 81
Ivanyos, G. and Á. Szántó, Lattice basis reduction for indefinite forms and an application	153	(1996)	177–188
Jackson, D.M., see I.P. Goulden	158	(1996)	77– 85
Jacob, H., Kernels in graphs with a clique-cutset (<i>Note</i>)	156	(1996)	265–267
Jacob, H. and H. Meyniel, About quasi-kernels in a digraph (<i>Note</i>)	154	(1996)	279–280
Jajcay, R., Characterization and construction of Cayley graphs admitting regular Cayley maps	158	(1996)	151–160
Jansen, K., A rainbow about T -colorings for complete graphs	154	(1996)	129–139
Janssen, J.C.M., see R. Häggkvist	157	(1996)	199–206
Jha, V. and G. Wene, An oval partition of the central units of certain semifield planes	155	(1996)	127–134
Jimbo, M., see M. Mishima	156	(1996)	285–290
Johnson, W.P., Some applications of the q -exponential formula	157	(1996)	207–225
Johnson, W.P., q -Extensions of identities of Abel–Rothe type	159	(1996)	161–177

Johnson, C.R. and T.A. McKee, Structural conditions for cycle completable graphs	159	(1996)	155–160
Kanchi, S.P., see J. Chen	156	(1996)	83–102
Kaneko, A., see K. Ando	151	(1996)	39–47
Kano, M., see Y. Egawa	151	(1996)	87–90
Kano, M., Edge-removing games of star type	151	(1996)	113–119
Kari, J., A small aperiodic set of Wang tiles (<i>Note</i>)	160	(1996)	259–264
Keich, U., see R. Aharoni	152	(1996)	1–12
Kenyon, C. and E. Rémila, Perfect matchings in the triangular lattice	152	(1996)	191–210
Kim, S.G., see J.H. Kwak	156	(1996)	141–170
Kingan, S.R. and J.G. Oxley, On the matroids in which all hyperplanes are binary (<i>Note</i>)	160	(1996)	265–271
Kingan, S.R., Binary matroids without prisms, prism duals, and cubes	152	(1996)	211–224
Kirillov, A.N., see S. Fomin	153	(1996)	123–143
Kiss, G., see J.W.P. Hirschfeld	155	(1996)	107–119
Klavžar, S. and B. Zmazek, On a Vizing-like conjecture for direct product graphs	156	(1996)	243–246
Klavžar, S., Coloring graph products — A survey	155	(1996)	135–145
Koh, K.M. and C.P. Teo, Chromaticity of series-parallel graphs (<i>Note</i>)	154	(1996)	289–295
Koh, K.M. and B.P. Tan, Number of 4-kings in bipartite tournaments with no 3-kings (<i>Note</i>)	154	(1996)	281–287
Koh, K.M. and K.S. Poh, On the lower length of the closed-set lattice of a tree	151	(1996)	121–130
Kolb, E., Hjelmslev planes over nearrings	155	(1996)	147–155
Krasikov, I., Degree conditions for vertex switching reconstruction (<i>Note</i>)	160	(1996)	273–278
Krattenthaler, C. and R.A. Sulanke, Counting pairs of nonintersecting lattice paths with respect to weighted turns	153	(1996)	189–198
Kreher, D.L., G.F. Royle and W.D. Wallis, A family of resolvable regular graph designs (<i>Note</i>)	156	(1996)	269–275
Krumme, D.W., Reordered gossip schemes	156	(1996)	113–140
Kubo, T. and R. Vakil, On Conway's recursive sequence	152	(1996)	225–252
Kulkarni, D.M., Counting of paths and coefficients of the Hilbert polynomial of a determinantal ideal	154	(1996)	141–151
Kumar, P.V., see T. Hellese	152	(1996)	185–190
Kwak, J.H., S.-G. Kim and J. Lee, Distributions of regular branched prime-fold coverings of surfaces	156	(1996)	141–170

Labelle, G., see H. Décoste	153	(1996)	59– 67
Labelle, G., see I. Constantineau	157	(1996)	53– 64
Labelle, G. and L. Laforest, Etude de constantes universelles pour les arborescences hyperquaternaires de recherche	153	(1996)	199–211
Labelle, G. and P. Leroux, Enumeration of (uni- or bicolored) plane trees according to their degree distribution	157	(1996)	227–240
Laborde, J.-M., see G. Burosch	152	(1996)	69– 91
Laforest, L., see G. Labelle	153	(1996)	199–211
Lai, H.-J., see P.A. Catlin	160	(1996)	81– 91
Lalonde, P., A non-commutative version of Jacobi's equality on the cofactors of a matrix	158	(1996)	161–172
Lam, K.S., see C.-K. Lim	151	(1996)	161–167
Lam, T.K., B_n Stanley symmetric functions	157	(1996)	241–270
Lashkia, V., M. Miyakawa, A. Nozaki, G. Pogosyan, I.G. Rosenberg, Semirigid sets of diamond orders (<i>Note</i>)	156	(1996)	277–283
Laurent, M., Graphic vertices of the metric polytope	151	(1996)	131–153
Lauri, J., Large sets of pseudosimilar vertices	155	(1996)	157–160
Lazebnik, F., V.A. Ustimenko and A.J. Woldar, A characterization of the components of the graphs $D(k, q)$	157	(1996)	271–283
Le, V.B., Gallai graphs and anti-Gallai graphs	159	(1996)	179–189
Leclerc, B., Powers of staircase Schur functions and symmetric analogues of Bessel polynomials	153	(1996)	213–227
Lee, J., see J.H. Kwak	156	(1996)	141–170
Leroux, P., see G. Labelle	157	(1996)	227–240
Li, L., see L. Zhang	160	(1996)	291–297
Li, B., The ANTI-order for cacc posets — Part II	158	(1996)	185–199
Li, B., The ANTI-order for cacc posets — Part I	158	(1996)	173–184
Li, H., see O. Favaron	159	(1996)	103–109
Li, M., Hamiltonian cycles in regular 3-connected claw-free graphs	156	(1996)	171–196
Li, X. and H. Zhang, A solution to Gutman's problem on the characteristic polynomial of a bipartite graph (<i>Note</i>)	154	(1996)	297–300
Lick, D.R., see C. Fan	158	(1996)	49– 62
Lih, K.-W. and P.-L. Wu, On equitable coloring of bipartite graphs	151	(1996)	155–160
Lim, C.-K., see C.-L. Deng	151	(1996)	71– 79
Lim, C.-K. and K.S. Lam, The characteristic polynomial of ladder digraph and an annihilating uniqueness theorem	151	(1996)	161–167
Linhart, J., see D. Cieslik	155	(1996)	39– 48
Liskovets, V.A., A reductive technique for enumerating non-isomorphic planar maps	156	(1996)	197–217
Little, C., see H. Wang	160	(1996)	283–289
Liu, B., see C. Bo	159	(1996)	241–245

Liu, J., see C. Fan	158	(1996)	49– 62
Lladó, A.S., see Y.O. Hamidoune	159	(1996)	131–142
Loebl, M., see W. Hochstättler	153	(1996)	165–176
Lou, D., The Chvátal–Erdős condition for cycles in triangle-free graphs	152	(1996)	253–257
Lu, T., The enumeration of trees with and without given limbs	154	(1996)	153–165
Łuczak, T., see P. Erdős	154	(1996)	263–268
Lyu, Y.D., see D.Z. Du	151	(1996)	81– 85
Macris, N. and J.V. Pulé, An alternative formula for the number of Euler trails for a class of digraphs (<i>Note</i>)	154	(1996)	301–305
Marshall, S., On the existence of k -tournaments with given automorphism group	152	(1996)	259–268
Martini, H., Shadow-boundaries of convex bodies	155	(1996)	161–172
Maschlanka, P. and L. Volkmann, Independence number in n -extendable graphs	154	(1996)	167–178
Mauk, C. and S. Stahl, Cubic graphs whose average number of regions is small (<i>Note</i>)	159	(1996)	285–290
McAvaney, K., see B. Alspach	151	(1996)	19– 38
McGuinness, S., On bounding the chromatic number of L-graphs	154	(1996)	179–187
McKee, T.A., see C.R. Johnson	159	(1996)	155–160
McMorris, F.R. and H.M. Mulder, Subpath acyclic digraphs	154	(1996)	189–201
Mendelsohn, E., see P.B. Gibbons	155	(1996)	59– 76
Meshulam, R., On products of projections (<i>Note</i>)	154	(1996)	307–310
Meyniel, H., see H. Jacob	154	(1996)	279–280
Milici, S., see M. Gionfriddo	155	(1996)	77– 79
Mishima, M. and M. Jimbo, A series of identities for the coefficients of inverse matrices on a Hamming scheme (<i>Note</i>)	156	(1996)	285–290
Miyakawa, M., see V. Lashkia	156	(1996)	277–283
Mohar, B., Straight-line representations of maps on the torus and other flat surfaces	155	(1996)	173–181
Moll, C., see W. Hochstättler	153	(1996)	165–176
Moon, J.W., On the total distance between nodes in tournaments	151	(1996)	169–174
Müller, H., Hamiltonian circuits in chordal bipartite graphs (<i>Note</i>)	156	(1996)	291–298
Mulder, H.M., see F.R. McMorris	154	(1996)	189–201
Murphy, O., see J. Griggs	152	(1996)	157–170
Mynhardt, C.M., see E.J. Cockayne	159	(1996)	57– 68

Nagy, A., see P. Bugata	158	(1996)	37– 47
Naiman, D.Q. and H.P. Wynn, Independence number and the complexity of families of sets	154	(1996)	203–216
Nair, B.R. and A. Vijayakumar, Strongly edge triangle regular graphs and a conjecture of Kotzig	158	(1996)	201–209
Nešetřil, J., see P. Gvozďjak	154	(1996)	77– 84
Nica, A., Crossings and embracings of set-partitions and q -analogues of the logarithm of the Fourier transform	157	(1996)	285–309
Nivat, M., see A. Del Lungo	157	(1996)	65– 78
Noble, S.D., Recognising a partitionable simplicial complex is in NP (<i>Communication</i>)	152	(1996)	303–305
Noonan, J., The number of permutations containing exactly one increasing subsequence of length three (<i>Communication</i>)	152	(1996)	307–313
Nozaki, A., see V. Lashkia	156	(1996)	277–283
O’Keefe, C.M. and A.A. Pascasio, Images of conics under derivation	151	(1996)	189–199
O’Keefe, C.M., Ovoids in $PG(3, q)$: a survey	151	(1996)	175–188
Odlyzko, A.M., Analytic methods in asymptotic enumeration	153	(1996)	229–238
Olaru, E., The structure of imperfect critically strongly-imperfect graphs (<i>Note</i>)	156	(1996)	299–302
Ordaz, O., see C. Flores	152	(1996)	321–324
Oxley, J.G., see S.R. Kingan	160	(1996)	265–271
Pascasio, A.A., see C.M. O’Keefe	151	(1996)	189–199
Pasini, A. and S. Tsaranov, Bounding the size of certain rank 3 geometries with designs as rank 2 residues	155	(1996)	183–204
Pelant, J., see M. Burzio	155	(1996)	27– 30
Pfaltz, J.L., Closure lattices	154	(1996)	217–236
Pica, G., On finite C_n -geometries with thick lines	155	(1996)	205–210
Pinzani, R., see A. Del Lungo	157	(1996)	65– 78
Pirillo, G. and S. Varricchio, Some combinatorial properties of infinite words and applications to semigroup theory	153	(1996)	239–251
Ploščica, M. and M. Zelina, Cancellation among finite un-ary algebras	159	(1996)	191–198
Pocchiola, M., see J. Berstel	153	(1996)	29– 39
Pogosyan, G., see V. Lashkia	156	(1996)	277–283
Poh, K.S., see K.M. Koh	151	(1996)	121–130
Polat, N., see M. Chastand	160	(1996)	93–104
Polat, N., Finite invariant sets in infinite graphs	158	(1996)	211–221
Policriti, A. see D. Dikranjan	159	(1996)	83– 94

Praeger, C.E. and B.P. Raposa, Non-symmetric nearly triply regular designs	151	(1996)	201–212
Prömel, H.J. and A. Steger, Counting H -free graphs (<i>Note</i>)	154	(1996)	311–315
Procesi Ciampi, R., Stone's representation theorem for Boolean hyperalgebras topological version	155	(1996)	211–214
Prodinger, H., Combinatorics of geometrically distributed random variables: Left-to-right maxima	153	(1996)	253–270
Pulé, J.V., see N. Macris	154	(1996)	301–305
Raposa, B.P., see C.E. Praeger	151	(1996)	201–212
Rara, H.M., Reduction procedures for calculating the determinant of the adjacency matrix of some graphs and the singularity of square planar grids	151	(1996)	213–219
Rémila, E., see C. Kenyon	152	(1996)	191–210
Rémila, E., Tiling a simply connected figure with bars of length 2 or 3	160	(1996)	189–198
Readdy, M., see R. Ehrenborg	157	(1996)	107–125
Reid, T.J., see P. Erdős	158	(1996)	283–286
Rommel, J.B., see D.A. Beck	153	(1996)	3–27
Rincón-Mejía, H.A., see H. Galeana-Sánchez	152	(1996)	141–145
Roblet, E. and X.G. Viennot, Théorie combinatoire des T-fractions et approximants de Padé en deux points	153	(1996)	271–288
Rodger, C.A., see D.G. Hoffman	160	(1996)	177–187
Rosenberg, I.G., see V. Lashkia	156	(1996)	277–283
Rota, R., Hyperaffine planes over hyperrings	155	(1996)	215–223
Rota, G.-C., Report on the present state of combinatorics	153	(1996)	289–303
Rothblum, U.G., see F.K. Hwang	160	(1996)	1–23
Royle, G.F., see D.L. Kreher	156	(1996)	269–275
Rusu, I., Properly orderable graphs	158	(1996)	223–229
Salvy, B., see X. Gourdon	153	(1996)	145–163
Sampathkumar, R., see R. Balakrishnan	156	(1996)	19–28
Sanders, D.P., On circuits through five edges	159	(1996)	199–215
Sauer, N., see D. Duffus	152	(1996)	125–139
Schelp, R.H., see O. Favaron	159	(1996)	103–109
Schelp, R., see P. Erdős	158	(1996)	283–286
Schmeichel, E., see D. Bauer	155	(1996)	13–18
Schneider, R., On the chairman assignment problem	159	(1996)	217–222
Schulte, U., Constructing trees in bipartite graphs (<i>Note</i>)	154	(1996)	317–320
Sellers, J.A., Recurrences for 2-colored and 3-colored F-partitions (<i>Note</i>)	156	(1996)	303–310
Serfati, M., On postian algebraic equations	152	(1996)	269–285
Serra, O., see Y.O. Hamidoune	159	(1996)	131–142

Shapiro, M., see B. Shapiro	153	(1996)	305–318
Shapiro, B., M. Shapiro and A. Vainshtein, Topology of intersections of Schubert cells and Hecke algebra	153	(1996)	305–318
Shee, S.-C. and Y.-S. Ho, The cordiality of the path-union of n copies of a graph	151	(1996)	221–229
Shen, J., An improvement of the Dulmage–Mendelsohn theorem (<i>Note</i>)	158	(1996)	295–297
Slater, P.J., see D.W. Bange	159	(1996)	1– 11
Slater, P.J., see M.A. Henning	158	(1996)	87– 98
Spartalis, S., On the number of H_V -rings with P -hyperoperations	155	(1996)	225–231
Spera, A.G., Transitive extensions of imprimitive groups	155	(1996)	233–241
Springer, C.M., see I.P. Goulden	158	(1996)	77– 85
Stahl, S., see C. Mauk	159	(1996)	285–290
Staton, W., see P. Erdős	158	(1996)	283–286
Steger, A., see H.J. Prömel	154	(1996)	311–315
Stern, M., On the covering graph of balanced lattices (<i>Note</i>)	156	(1996)	311–316
Sulanke, A., see C. Krattenthaler	153	(1996)	189–198
Sureau, Y., On structure of cogroups	155	(1996)	243–246
Svrtan, D., see S. Feretić	157	(1996)	147–168
Szántó, Á., see G. Ivanyos	153	(1996)	177–188
Szabó, T., On nearly regular co-critical graphs (<i>Note</i>)	160	(1996)	279–281
Tan, B.P., see K.M. Koh	154	(1996)	281–287
Tan, N.D., Cubic (m, n) -metacirculant graphs which are not Cayley graphs	154	(1996)	237–244
Tan, N.D., On the isomorphism problem for a family of cubic metacirculant graphs	151	(1996)	231–242
Teo, C.P., see K.M. Koh	154	(1996)	289–295
Teo, K., see H. Wang	160	(1996)	283–289
Teraï, N. and T. Hibi, Some results on Betti numbers of Stanley–Reisner rings	157	(1996)	311–320
Tichy, R.F., see P.J. Grabner	154	(1996)	53– 62
Tijssen, G., see R. van Dal	159	(1996)	69– 81
Tkáč, M., On the shortness exponent of 1-tough, maximal planar graphs (<i>Note</i>)	154	(1996)	321–328
Tomescu, I., An asymptotic formula for the number of graphs having small diameter	156	(1996)	219–228
Topp, J. and P.D. Vestergaard, On numbers of vertices of maximum degree in the spanning trees of a graph	155	(1996)	247–258
Tsaranov, S., see A. Pasini	155	(1996)	183–204
Tuza, Z., see R. van Dal	159	(1996)	69– 81

Urabe, M., see J. Akiyama	151	(1996)	15– 18
Urabe, M., see K. Hosono	151	(1996)	99–104
Urrutia, J., see J. Akiyama	151	(1996)	15– 18
Ustimenko, V.A., see F. Lazebnik	157	(1996)	271–283
Vainshtein, A., see B. Shapiro	153	(1996)	305–318
Vakil, R., see T. Kubo	152	(1996)	225–252
van der Veen, J.A.A., see R. van Dal	159	(1996)	69– 81
van Dal, R., G. Tijssen, Z. Tuza, J.A.A. van der Veen, C. Zamfirescu and T. Zamfirescu, Hamiltonian properties of Toeplitz graphs	159	(1996)	69– 81
van Leeuwen, M.A.A., Tableau algorithms defined naturally for pictures	157	(1996)	321–362
Varricchio, S., see G. Pirillo	153	(1996)	239–251
Veldman, H.J., see D. Bauer	155	(1996)	13– 18
Vergnas, M.L., see R. Cordovil	160	(1996)	105–113
Vestergaard, P.D., see J. Topp	155	(1996)	247–258
Vestergaard, P.D., see L.D. Andersen	155	(1996)	3– 12
Viennot, X.G., see E. Roblet	153	(1996)	271–288
Vijayakumar, A., see B.R. Nair	158	(1996)	201–209
Volkman, L., see P. Maschlanka	154	(1996)	167–178
Vougiouklis, T., H_V -groups defined on the same set	155	(1996)	259–265
Wagner, C.G., Generalized Stirling and Lah numbers	160	(1996)	199–218
Wallis, W.D., see D.L. Kreher	156	(1996)	269–275
Wang, Y.-L., On the bondage number of a graph (<i>Note</i>)	159	(1996)	291–294
Wang, H., C. Little and K. Teo, Partition of a directed bipartite graph into two directed cycles (<i>Note</i>)	160	(1996)	283–289
Warnke, I., see G. Burosch	152	(1996)	69– 91
Watanabe, M., see K. Hosono	151	(1996)	99–104
Watson, S., see J.I. Brown	154	(1996)	27– 39
Weakley, W.D., see L.W. Beineke	160	(1996)	41– 47
Wene, G., see V. Jha	155	(1996)	127–134
West, J., see S. Dulucq	153	(1996)	85–103
West, J., Generating trees and forbidden subsequences	157	(1996)	363–374
White, D., see J. Galovich	157	(1996)	169–191
Whitehead, T., see D.A. Beck	153	(1996)	3– 27
Wilson, B.J., see B.E. Brunton	155	(1996)	19– 26
Winters, S.J., Connected graphs with prescribed median and periphery	159	(1996)	223–236
Woldar, A.J., see F. Lazebnik	157	(1996)	271–283
Woodall, D.R., An identity involving 3-regular graphs	152	(1996)	287–293
Wrathall, C., The lattices of prefixes and overlaps of traces	158	(1996)	231–248

Wu, J., see L. Zhang	160	(1996)	291–297
Wu, P.-L., see K.-W. Lih	151	(1996)	155–160
Wynn, H.P., see D.Q. Naiman	154	(1996)	203–216
Xu, B. and H. Fan, On the fixed edge of planar graphs with minimum degree five (<i>Note</i>)	152	(1996)	325–328
Yang, T.Y., see H.H. Glover	160	(1996)	149–163
Yang, W., Bell numbers and k -trees	156	(1996)	247–252
Yao, Y.-C., see F.K. Hwang	160	(1996)	1– 23
Zagaglia Salvi, N., Maximal intersection critical families of finite sets	155	(1996)	267–269
Zamfirescu, C., see R. van Dal	159	(1996)	69– 81
Zamfirescu, T., see R. van Dal	159	(1996)	69– 81
Zelina, M., see M. Ploščica	159	(1996)	191–198
Zelinka, B., Some remarks on domination in cubic graphs	158	(1996)	249–255
Zeng, J., Sur quelques propriétés de symétrie des nombres de Genocchi	153	(1996)	319–333
Zeng, J., Multinomial convolution polynomials	160	(1996)	219–228
Zhang, H., see X. Li	154	(1996)	297–300
Zhang, X., Construction for indecomposable simple (v, k, γ) -BIBDS (<i>Note</i>)	156	(1996)	317–322
Zhang, C.-Q., Nowhere-zero 4-flows and cycle double covers	154	(1996)	245–253
Zhang, L., L. Li and J. Wu, On the descriptive power of special Thue systems (<i>Note</i>)	160	(1996)	291–297
Zhang, X.-D., On the spiral property of the q -derangement numbers (<i>Note</i>)	159	(1996)	295–298
Zhang, H., The connectivity of Z -transformation graphs of perfect matchings of polyominoes	158	(1996)	257–272
Zhu, X., see G. Gao	152	(1996)	147–156
Zhu, L., see F.E. Bennett	160	(1996)	49– 65
Zhu, L., see F.E. Bennett	158	(1996)	11– 25
Zhu, X., On the bounds for the ultimate independence ratio of a graph	156	(1996)	229–236
Zimmermann, U.T., see P.J. Grabner	154	(1996)	53– 62
Zmazek, B., see S. Klavžar	156	(1996)	243–246
Zvonkin, A., see J. Bétréma	153	(1996)	47– 58